

Final

Guidelines for verification of high resolution soil sealing layer

- Qualitative assessment -

Prepared by:

Chris Steenmans

Ana Sousa

03.12.2007

Version 1.0

European Environment Agency



Introduction

This document provides the guidelines for the verification of the high resolution soil sealing layer, based on a qualitative assessment of the mapped area. As agreed at the Eionet workshop on quality control and validation of land cover data (Copenhagen, 12-13 November 2007), these guidelines should help National Reference Centres on Land Cover (NRCs) to support EEA in doing the verification of the soil sealing layer that is being produced in the frame of GMES land monitoring fast track service precursor.

The soil sealing data is produced by a consortium of European service providers under contract with EEA and is based on the classification of the IMAGE2006 satellite data. The overall objective is the production of a seamless European high resolution core land cover dataset of built-up areas, including degree of soil sealing, for the reference year 2006. Built-up areas are characterized by the substitution of the original (semi)-natural cover or water surface with an artificial, often impervious, cover. This artificial cover is usually characterized by long cover duration (FAO Land Cover Classification System, 2005). Impervious surfaces of built-up areas account for 80 to 100% of the total cover. A per-pixel estimate of imperviousness (continuous variable from 0 to 100 percent) will be provided as index for degree of soil sealing for the whole geographic coverage. The data will be produced in full spatial resolution, i.e. 20 m by 20 m, which provides the best possible core data for any further analysis. The classification accuracy per hectare (based on a 100 m x 100 m grid) of built-up and non built-up areas should be at least 85%, for the European product.

The verification task will run from end November 2007 (when the first country deliveries are expected) until October 2008 (deadline for the last country to be delivered by the contractor) and should support EEA in accepting or rejecting the delivery of the country datasets produced by the service provider.

This qualitative assessment supported by NRCs is part of the grant agreement between EEA and participating countries in the GMES project land monitoring fast track service precursor/CLC2006.

NRCs are invited to carry out this assessment and to give feedback to the Agency within 4 weeks after reception of the data. If it is not possible to perform the verification task within these 4 weeks, it is expected that it will be completed before the end of the grant agreement, according to Article I.2 (Duration).

If countries would like to do additional checks or a quantitative assessment based on statistical validation, they are welcome to do so and to share the results with EEA.

Guidelines are provided for the preparatory work, the inventory of reference data that will be used, the description of the geometric and thematic quality and the overall qualitative assessment. NRCs should use this document template to report on the verification of the data, by filling in the grey boxes: insert free text in the "Text Form Fields" (); tick the "Check Box Form Field" (); and select from "Drop Down Form Field" (Please, select). Feel free to add additional text or illustrations (e.g. examples from screenshots).

A quantitative assessment or final validation of the European dataset will be carried out by EEA in collaboration with Eionet during late 2008-2009 (project details to be confirmed during the second half of 2008). This European validation will be based as much as possible on the results of national validations. NRCs are invited to inform EEA about planned activities (if any) at national level. Preliminary recommendations for such a statistical validation (quantitative assessment) are attached in annex for information.

Note: After filling in the template save it as a word document: filename: countryISOcode.doc (e.g. AT.doc).

1. Preparatory work

1. Upload the data that will be made available by EEA via ftp server or sent by mail. Please inform EEA on reception of the data;
2. Check for available reference data that will be used during the verification;
3. List the experts/expertise that are involved in the verification task:

Expert name	Field of expertise	Institution
Nico Bonora	Remote Sensing, GIS, coastal dynamics	APAT - Italian agency for environmental protection and technical services.

The average time needed for this verification is estimated at one person/day per 10.000 km². Please note that this time can vary depending on the experience of the interpreter, the availability of the reference data and the complexity of the landscape. The table below gives an indicative estimate for the EEA member countries.

Country	Area (km²)	Person days	Country	Area (km²)	Person days
Austria + Liechtenstein	83.855	9	Lithuania	65.200	7
Belgium	30.520	3	Luxembourg	2.586	<1
Bulgaria	110.994	11	Malta	316	<1
Cyprus	9.251	1	Netherlands	41.526	4
Czech Republic	78.864	8	Norway	323.878	33
Denmark	43.075	4	Poland	312.683	31
Estonia	45.200	5	Portugal	88.935	9
Finland	338.145	34	Romania	237.500	24
France	543.965	55	Slovakia	20.251	5
Germany	357.028	36	Slovenia	49.035	2
Greece	131.957	13	Spain	504.782	51
Hungary	93.030	9	Sweden	449.964	39
Iceland	102.820	10	Switzerland	41.293	4
Ireland	70.282	7	Turkey	789.452	79
Italy	301.245	30	United Kingdom	244.082	25
Latvia	63.700	6			

2. Reference data

Please list the reference data that is used for this verification:

1. Topographic maps

No Yes Year: Area: Please, select:

If only a subset, then please specify the area(s):

2. Aerial orthophotos

No Yes Year: 1998-2000-2006 Area: Full country

If only a subset, then please specify the area(s):

2006: Southern Italy

3. Very High Resolution satellite data

No Yes Year: 2006 Area: Subset

If only a subset, then please specify the area(s):

Quickbird - Rome

4. CLC2000

No Yes

5. Other

Name: Ikonos Year: 2006-07 Area: Subset

If only a subset, then please specify the area(s):

Part of Rome Municipality

Name: Year: Area:

If only a subset, then please specify the area(s):

Qualitative assessment HR soil sealing layer

Name: Google Earth Year: ? Area: Full country

If only a subset, then please specify the area(s):

Name: Year: Area: Please, select:

If only a subset, then please specify the area(s):

Comments concerning the reference data used (if any):

B. Geometric quality

Please provide your qualitative assessment of the geometric quality of the data. The objective of this task is to perform a visual analysis of the soil sealing dataset concerning its co-registration when put in overlay with other reference datasets.

1. Check geometric accuracy:

Is there a visible shift? Yes No

If yes:

a. Is there a systematic shift? Yes No

b. Is there a local shift? Yes No

Where?

Please indicate the region, place name, coordinates or other description of location:

Shifts presence close to streets, dikes and port structure, due probably to the different resolution of production layers and verification layers.

2. Is the used projection correct? Yes No

3. Comments concerning geometric issues (if any), or in case the geometric quality could not be checked, please provide a short explanation:

C. Thematic quality

Please provide your qualitative assessment of the thematic quality of the data. The objective of this task is to perform a visual comparison between available reference data and the soil sealing dataset. You are requested to verify for a number of land cover classes (similar to the CLC classes at levels 2 or 3) to check if any errors in the data can be identified. Please note that many land cover classes can include sealed surfaces, especially for features <25 ha.

For this part of the verification, it is recommended to use a binary mask (built-up/non-built-up area) that can be used in overlay with the reference data:

1. Apply a lookup table to map all pixels > 80% degree of soil sealing as built-up area;
2. Perform the checks on pixels > 80% degree of soil sealing by screening for each of the land cover classes if built-up or non built-up areas are correctly mapped. Feel free to add screenshots with examples to illustrate the quality judgement.

For your qualitative assessment, following examples of check boxes can be ticked:

- “excellent” meaning that you expect that the accuracy of the built-up data is reaching almost 100%; no errors could be found in the areas that were verified.
- “good” meaning that you are confident that the classification results are at least 85 % correct; only sporadic errors were encountered in the areas that were verified.
- “acceptable” meaning that you estimate that in most of the verified areas the classification results will probably reach an accuracy of 85 %; some minor errors could be detected in the areas that were verified.
- “insufficient” meaning that you do not expect that the classification results will reach the minimum of 85 % accuracy; you encountered several errors in different regions.
- “very poor” meaning that you are confident that the classification results are bad with regard to presence of built-up area; most of the areas verified are wrongly mapped.

Urban fabric:



a. Did you check if built-up/non built-up areas are correctly mapped within urban fabric (e.g. houses, buildings, streets, etc.)?

- Yes No Not possible

b. How would you assess the quality of the mapped built-up area within the urban fabric?

- very poor insufficient acceptable good excellent

- a. Short description of errors found (if any): Some pixels of urban fabric are not classified properly; in some cases buildings and streets are decoded as not sealed and trees are classified as sealed.



Two examples of classification error in Naples.

Industrial or commercial units:

Qualitative assessment HR soil sealing layer


- a. Did you check if built-up/non built-up areas are correctly mapped within industrial or commercial units (e.g. parking lots, buildings, etc.)?

Yes No Not possible

- b. How would you assess the quality?

very poor insufficient acceptable good excellent

- b. Short description of errors found (if any): Some pixels of industrial units are not classified as sealed area and grassland fall into sealed areas.



Example of classification error in Rome.

Road and rail networks and associated land:

- a. Did you check if built-up/non built-up areas within road and rail networks and associated land are correctly mapped (e.g. railway stations, highways >20 m width, etc.)?


Yes No Not possible

- b. How would you assess the quality?

very poor insufficient acceptable good excellent

- c. Short description of errors found (if any): Some time the classification does not match the streets even if > 20m.

Qualitative assessment HR soil sealing layer



Unclassified soil sealed object (close to Cagliari - South Sardinia).

Port areas:

a. Did you check if built-up/non built-up areas in port areas are correctly mapped (e.g. installations, dykes, etc)?


Yes No Not possible

b. How would you assess the quality?


very poor insufficient acceptable good excellent

d. Short description of errors found (if any): Shift of 35-40 m about.

Qualitative assessment HR soil sealing layer



Catania Port (Sicily).



Naples Port.

Airports:

c. Did you check if built-up/non built-up areas in airports are correctly mapped (e.g. runways, buildings, etc)?

Yes

No


Not possible

Qualitative assessment HR soil sealing layer


d. How would you assess the quality?

- very poor insufficient acceptable good excellent

e. Short description of errors found (if any): Shifts and classification errors are present. In some cases grassland are classified as sealed areas and buildings are classified as not sealed.



Fiumicino Airport – Rome



Fertilia Airport – Sassari (Northwest Sardinia)

Mine, dump and construction sites:


a. Did you check if built-up/non built-up areas in mine, dump and construction sites are correctly mapped (e.g. buildings, infrastructure, etc)?

Yes No Not possible

b. How would you assess the quality?

very poor insufficient acceptable good excellent

f. Short description of errors found (if any): If construction sites and mines are defined as not-sealed area, they have not been classified correctly.



Mine close to Rome

Arable land:


a. Did you check if built-up/non built-up areas in arable land are correctly mapped (e.g. bare soil, large farm houses, roads>20m width, etc)?

Yes No Not possible

b. How would you assess the quality?

very poor insufficient acceptable good excellent

g. Short description of errors found (if any): Some parts of arable land sealed areas are not classified properly. There is also sealed pixels falling on not sealed zones.



Classification errors close to Rome

Heterogeneous agricultural areas:


a. Did you check if built-up/non built-up areas in heterogeneous agricultural areas are correctly mapped (e.g. buildings, roads >20m, etc)?

Yes No Not possible

b. How would you assess the quality?

very poor insufficient acceptable good excellent

h. Short description of errors found (if any): Some parts of arable land sealed areas are not classified properly. There is also sealed pixels falling on not sealed zones.




Classification errors on heterogeneous agricultural areas close to Bari – southern Italy

Forest:

- a. Did you check built-up/non built-up areas in forests are correctly mapped (e.g. clear-cuts, roads, etc.)?
 Yes No Not possible
- b. How would you assess the quality?
 very poor insufficient acceptable good excellent
- i. Short description of errors found (if any):

Scrub and/or herbaceous vegetation associations:

- a. Did you check if built-up/non built-up areas in scrub and/or herbaceous vegetation areas are correctly mapped (e.g. dry vegetation, rock outcrop, etc.)?
 Yes No Not possible
- b. How would you assess the quality?
 very poor insufficient acceptable good excellent
- j. Short description of errors found (if any): Presence of classification errors both in sealed and not-sealed areas.



Classification errors on scrub and/or herbaceous vegetation associations in alpine mountains chain.

Beaches, dunes and sands:

a. Did you check if built-up/non built-up areas in beaches, dunes and sand areas are correctly mapped?



Yes No Not possible

b. How would you assess the quality?

very poor insufficient acceptable good excellent

k. Short description of errors found (if any): There are many problems on beaches and dunes classification.

Qualitative assessment HR soil sealing layer



Exampe of sealed and not sealed beach!!

Bare rocks:

a. Did you check if built-up/non built-up areas in bare rock areas are correctly mapped?


Yes No Not possible

Qualitative assessment HR soil sealing layer

b. How would you assess the quality?

very poor insufficient acceptable good excellent

1. Short description of errors found (if any): In many cases bare rocks and glaciers are classified as sealed.



Examples of classification errors on bare rocks and glaciers.

Sparsely vegetated areas:

a. Did you check if built-up/non built-up areas in sparsely vegetated areas are correctly mapped?

Yes No Not possible

c. How would you assess the quality?

very poor insufficient acceptable good excellent

m. Short description of errors found (if any):

Glaciers and perpetual snow:

a. Did you check if built-up/non built-up areas in glaciers and perpetual snow areas are correctly mapped?


Qualitative assessment HR soil sealing layer

Yes No Not possible

b. How would you assess the quality?

very poor insufficient acceptable good excellent

n. Short description of errors found (if any): Perpetual snow is classified as sealed zone. About glaciers see “bare rocks”.



Example of classification errors on perpetual snow.

Inland wetlands:

a. Did you check if built-up/non built-up areas in inland wetlands are correctly mapped ?

Yes No Not possible

b. How would you assess the quality?

very poor insufficient acceptable good excellent

o. Short description of errors found (if any):

Salines:

c. Did you check if built-up/non built-up areas in salines are correctly mapped?

Yes No Not possible

- d. How would you assess the quality?
 very poor insufficient acceptable good excellent
- p. Short description of errors found (if any):

Intertidal flats:

- a. Did you check if built-up/non built-up areas in intertidal flats are correctly mapped?
 Yes No Not possible
- b. How would you assess the quality?
 very poor insufficient acceptable good excellent
- q. Short description of errors found (if any):

Coastal lagoons:

- a. Did you check if built-up/non built-up areas in coastal lagoons are correctly mapped?
 Yes No Not possible
- e. How would you assess the quality?
 very poor insufficient acceptable good excellent
- r. Short description of errors found (if any):

3. Comments concerning thematic content check (if any). Please indicate which part of the data was verified (full coverage or partial coverage, etc.):

It has been verified each class mentioned in this document at national level.

D. Overall qualitative assessment of the dataset

The overall qualitative assessment is meant to support EEA in our contractual procedures with the service provider regarding the acceptance of the dataset. While the previous thematic quality assessment was looking at class by class, this section should provide your assessment of the quality for the whole territory.

How would you assess the overall quality of the mapped built-up/non built-up areas for the dataset provided?

very poor insufficient acceptable good excellent

Please provide your final comments and additional remarks concerning overall qualitative assessment (e.g. difference in quality between regions e.g. mountains, agglomerations, coastal zones, etc), if any:

The quality assessment is between insufficient and acceptable. Some classes are good classified, others absolutely not.

There are classes deserving more attention in classification processes, as, for example, perpetual snow, glaciers, bare rocks, beaches, sand dunes and gravels. Depending from their natural characteristics, these classes are not defined as sealed areas and they have to be mapped as not sealed.

There are also classification errors on arable land where there is not presence of soil impermeabilization. Also mines and construction sites are often classified as sealed areas even if (at the 2006 moment) they are not. Ports are not fully classified as sealed.

The main contradiction regards beaches, dunes and sands: sometimes they have been classified as sealed and sometime they are not. Beaches and dunes are characterised by very high porosity, so they must be not sealed areas.

Also gravel fields, very often placed close to rivers, are wrongly classified as sealed.

E. Quantitative validation

Are you planning to carry out a statistical validation (quantitative assessment) of the national dataset?

Yes No

If yes, it would be helpful to provide us information about the timing, methodological approach or any other additional information which might be available:

The approach will follow the “Raccomandations Quantitative assessment high resolution soil sealing layer - 2007” (Maucha - Buttner).

Are you willing to contribute to the final validation of the European dataset (actions scheduled from the second half of 2008 onwards)?

Yes No

Filled in by Nico Bonora

Telephone number: +39-06-50072465

Email address: nico.bonora@apat.it

Date: 14/03/08

Thank you!