

German bathing water quality in 2016



Germany 

May 2017

Photo: © Peter Kristensen



BWD Report For the Bathing Season 2016

Germany

The report gives a general overview of information acquired from the reported data, based on provisions of the Bathing Water Directive¹. The reporting process is described below, as well as state and trends of bathing water quality in Germany.

1. BWD reporting in the season 2016

In 2016 bathing season, 2292 bathing waters have been reported in Germany. For each bathing water, five groups of parameters have been delivered²:

- *identification data* – including name, location, geographic type of bathing water and availability to bathers;
- *seasonal data* – including season start and end, national quality classification in present season, potential management measures and changes in quality;
- *monitoring results* – disaggregated numerical values of two microbiological parameters – intestinal enterococci and Escherichia coli (also known as E. coli), recorded at each water sample taken;
- *abnormal situation periods* – periods of unexpected situations that have, or could reasonably be expected to have, an adverse impact on bathing water quality and on bathers' health; reporting is optional;
- *short-term pollution periods* – identifiable events that adversely affect water quality by faecal contamination; reporting is optional.

Bathing waters of Germany in 2016	
Total reported	2292
Coastal	367
Inland	1925
Max season period	188 / 124 days
Coastal	6 May to 15 Sep
Inland	27 Mar to 1 Oct
Samples taken	13500
Share of bathing waters with good or excellent water quality	96 %
Reporting under Directive 2006/7/EC since	2008

The authorities of Germany report data according to the new BWD (2006/7/EC) since the season 2008. The data for the season 2016 were delivered to the European Commission by **29 December 2016**, with additional deliveries on 10 January 2017 and 17 February 2017.

Altogether, **2292 bathing waters** have been reported – 10.6% of all bathing waters in Europe. Out of all bathing waters in Germany, 1.13% have been newly identified in 2016 season. 16% of bathing

¹ Directive BWD 2006/7/EC, available at <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2006:064:0037:0051:EN:PDF>

² See the BWD Data Dictionary for detailed explanations: http://dd.eionet.europa.eu/datasets/latest/BWQ_2006

waters in Germany are of coastal type; the other 84% are inland. **13500 samples** were taken at bathing waters throughout the season – 6 per bathing water on average.

The maximum bathing season period was from 6 May to 15 September for coastal bathing waters, with a maximum season span of 124 days³. Maximum inland bathing season period was from 27 March to 1 October, with a maximum season span of 188 days. Season duration varies depending on bathing water.

Detailed information on bathing waters is available from national portal at <http://www.umweltbundesamt.de/themen/wasser/schwimmen-baden/badegewaesser/wasserqualitaet-in-badegewaessern> .

2. Assessment methodology⁴

During the bathing season, water samples are taken and analysed for two bacteria, *Escherichia coli* and intestinal enterococci which may indicate the presence of pollution, usually originating in sewage, livestock waste, bird faeces etc. The results of the analysis are used to assess the quality of the bathing waters concerned and to provide information to the public on the quality of water in the bathing sites concerned.

The monitoring requirements under the Directive are:

- taking a pre-season sample (taken shortly before the start of the bathing season) ⁵;
- a minimum of four samples per season⁶;
- a minimum of one sample per month⁷.

If these rules are satisfied, the bathing water is categorised as 'sampling frequency satisfied'. If not all monitoring requirements are fulfilled the bathing water is categorised as 'not enough samples'. 96.6% of bathing waters met the described monitoring requirements set by the Directive, while the rest did not satisfy monitoring requirements for different reasons: being new; having changed environmental conditions that might affect water quality classification; closed; not monitored due to legal issues, physical inaccessibility to the site etc.

³ If season length in a country varies depending on bathing water, the single longest season per bathing water is indicated, and not the overall count of season days in a country.

⁴ The methodology used by the EC and the EEA is described here, while results of assessment by national authorities may differ in individual cases.

⁵ A pre-season sample is taken into account at total number of samples per season.

⁶ Three samples are sufficient if the season does not exceed eight weeks or the region is subject to special geographical constraints.

⁷ If, for any reason, it is not possible to take the sample at the scheduled date, a delay of four extra days is allowed. Thus, the interval between two samples should not exceed 31 + 4 days.

Table 1 shows the statistics of bathing waters according to monitoring requirements.

Table 1: Bathing waters in 2016 according to compliance with BWD monitoring provisions

	Count	Share of total [%]
<p>BWs with sampling frequency satisfied (and are not new, are not subject to changes or were not closed in 2016)</p> <p>These bathing waters have been monitored according to provisions and have complete dataset from the last assessment period. They have been quality-classified (excellent, good, sufficient, poor).</p>	2214	96.6%
<p>BWs with sampling frequency not satisfied (and are not new, are not subject to changes or were not closed in 2016)</p> <p>These bathing waters exist throughout the last assessment period but have not been monitored throughout the period according to provisions for various individual reasons. They may be quality-classified if there is an adequate volume of samples available for credible classification.</p>	37	1.6%
<p>BWs that are new, subject to changes or closed in 2016</p> <p>These bathing waters do not have complete dataset for the last assessment period because they are new, have been subject to changes (that are likely to affect the classification of the bathing water) or have been closed. They cannot be quality-classified.</p>	41	1.8%
Total number of bathing waters in 2016	2292	100%

Bathing waters where sampling frequency was not satisfied can still be quality assessed if at least four samples per season (three samples if the season does not exceed eight weeks or the region is subject to special geographical constraints) are available and equally distributed throughout the season. Assessment of bathing water quality is possible when the bathing water sample dataset is available for four consecutive seasons. Bathing waters are accordingly classified to one of the bathing water quality classes (excellent, good, sufficient, or poor).

The classification is based on pre-defined percentile values for microbiological enumerations, limiting the classes given in Annex I of the Directive. The Directive defines different limit values for coastal and inland waters.

Quality assessment is not possible for all bathing waters. In these cases, they are instead classified as either:

- not enough samples⁸;
- new⁹;
- changes¹⁰;
- closed¹¹.

⁸ Not enough samples have been provided throughout the last assessment period (the last four bathing seasons or, when applicable, the period specified in Article 4.2 or 4.4).

⁹ Classification not yet possible because bathing water is newly identified and a complete set of samples is not yet available.

¹⁰ Classification is not yet possible after changes that are likely to affect the classification of the bathing water.

¹¹ Bathing water is closed temporarily or throughout the bathing season.

3. Bathing water quality

The results of the bathing water quality in Germany throughout the past period are presented in Figure 1 (for coastal bathing waters) and Figure 2 (for inland bathing waters). The previous reports are available on the European Commission's bathing water quality website¹² and the European Environment Agency's bathing water website¹³.

3.1 Coastal bathing waters

In Germany, 97.3% of all existing coastal bathing waters met at least sufficient water quality standards in 2016. See Appendix 1 for numeric data.




Figure 1: Coastal bathing water quality trend in Germany. Note: the “At least sufficient” class also includes bathing waters of “Excellent” quality class, the sum of shares is therefore not 100%.

¹² http://ec.europa.eu/environment/water/water-bathing/index_en.html

¹³ <http://www.eea.europa.eu/themes/water/status-and-monitoring/state-of-bathing-water>

3.2 Inland bathing waters

97.9% of all existing inland bathing waters were of at least sufficient water quality in 2016. See Appendix 1 for numeric data.




Figure 2: Inland bathing water quality trend in Germany. Note: the “At least sufficient” class also includes bathing waters of “Excellent” quality class, the sum of shares is therefore not 100%.

4. Information regarding management and other issues

The list of bathing waters, bathing water profiles, the results of the quality classes as well as up-to-date data on the water quality in the bathing season 2016 can be found on the websites of the federal states. The quality of bathing water in Germany is regularly monitored by the federal states. The Umweltbundesamt (UBA) helps to protect the bathers from infections caused by pathogens using following measures:

- Assessing infection risk.
- Elaborating scientific bases for the setting of microbiological limit values in the bathing water and sewage sector.
- Developing concepts to recognize and prevent the spread of waterborne diseases.
- Laboratory research and theoretical work on hygienic microbiological questions in the bathing water area to prevent illnesses.
- Developing and standardizing methods for the detection of pathogens in bathing waters and sewage water discharges.
- Coordinating and checking bathing water data from the federal states and making them available to the EU Commission and the public.

For each bathing water, the responsible state authorities regularly update corresponding bathing water profile. In these profiles all sources of pollution that could affect the quality of the water, and indicates

potential problems with cyanobacteria are identified. This means that health hazards can be identified in advance and remedial measures can be initiated in a timely manner.

5. Bathing water quality assessment presentation in online viewers

The European bathing water legislation focuses on sound management of bathing waters, greater public participation and improved information dissemination. More on the bathing and other water legislation can be found on the European Commission's website: http://ec.europa.eu/environment/water/index_en.htm.

The bathing water section of the Water Information System for Europe (WISE) which is accessible at the EEA bathing water website (<http://www.eea.europa.eu/themes/water/interactive/bathing/state-of-bathing-waters>) allows users to view the bathing water quality at more than 21 000 coastal and inland sites across Europe. The WISE bathing water quality data viewer combines text and graphical visualisation, providing a quick overview of the bathing water's locations and achieved quality. Having access to bathing water information, citizens are encouraged to make full use of it and participate with their comments.

Appendix 1: Results of bathing water quality in Germany from 2013 to 2016


Table 2: Bathing waters in the season 2016 according to quality

		Total number of bathing waters	Excellent quality		At least sufficient quality		Poor quality		Quality classification not possible: not enough samples /new bathing waters/bathing waters subject to changes/closed	
			No	%	No	%	No	%	No	%
Coastal	2013	367	290	79.0	357	97.3	5	1.4	5	1.4
	2014	363	286	78.8	355	97.8	5	1.4	3	0.8
	2015	367	280	76.3	355	96.7	1	0.3	11	3.0
	2016	367	295	80.4	357	97.3	1	0.3	9	2.5
Inland	2013	1929	1775	92.0	1871	97.0	8	0.4	50	2.6
	2014	1927	1777	92.2	1880	97.6	9	0.5	38	2.0
	2015	1925	1790	93.0	1888	98.1	4	0.2	33	1.7
	2016	1925	1786	92.8	1884	97.9	4	0.2	37	1.9
Total	2013	2296	2065	89.9	2228	97.0	13	0.6	55	2.4
	2014	2290	2063	90.1	2235	97.6	14	0.6	41	1.8
	2015	2292	2070	90.3	2243	97.9	5	0.2	44	1.9
	2016	2292	2081	90.8	2241	97.8	5	0.2	46	2.0

Note: the class "At least sufficient" also includes bathing waters which are of excellent quality, the sum of shares is therefore not 100%.

Appendix 2: Bathing water quality map

Map 1: Bathing waters reported during the 2016 bathing season in Germany



Bathing water quality

- Excellent water quality
- Good water quality
- Sufficient water quality
- Poor water quality
- Quality classification not possible: not enough samples / new bathing waters / bathing waters with changes / closed
- No data
- Outside data coverage (data available, not presented on the map)

Source: National boundaries: EEA; Large rivers and lakes: EEA, WFD Article 3; Bathing waters data and coordinates: German authorities; Digital Elevation Model over Europe (EU-DEM): EEA.